



# THE SPOONBILL

VOLUME XI No. 2  
JUNE 1962

\*\*\*\*\*  
 \* "It is my firm conviction that the \*  
 \* study of transient warblers in North \*  
 \* America has been greatly overdone. Fol- \*  
 \* lowing the migration of warblers is of \*  
 \* greatest importance to beginning students, \*  
 \* but they merely discover for themselves \*  
 \* what has long been known and recorded in \*  
 \* local areas almost throughout North Amer- \*  
 \* ica. For those really interested in the \*  
 \* study of warblers, I feel convinced that \*  
 \* a record of counts of individuals...year \*  
 \* after year, and in many places...is really \*  
 \* important and that there is no end to this \*  
 \* field in sight." Ludlow Griscom \*  
 \* The Warblers of North America \*  
 \*  
 \*\*\*\*\*

PUBLISHED BY THE ORNITHOLOGY GROUP, OUTDOOR NATURE CLUB, HOUSTON, TEXAS

## COMING EVENTS

July 21 (Saturday) - FIELD TRIP, Galveston, meet at the old Curlew Field (now a sub-division) about one-half mile beyond the Galveston city limit sign on S Road at 9:00 A. M. Lunch at 1:00 P. M. on beach at 13 Mi. Road. Bill Harwell will be your leader.

\*\*\*\*\*

FIELD TRIP May 12, 1962 reported by Ralph Hunter

The May field trip, the "last chance" to get a good collection of migrants, succeeded admirably in its purpose under the leadership of Linda Snyder. The group met at 8:00 A. M. at the Baytown Tunnel. Present were Margaret Anderson, Clayton and Eva Gilman, Irving Greenbaum, Henry and Louise Hoffman, Ralph Hunter, Dave and Jane Marrack, Ruth Moorman, Norma Oates, Henrietta Pitchford, Mary Sears, Gene and Linda Snyder, Harold Waggoner, and Josiephine Wilkin. Bays on the edge of the ship channel held a variety of birds including Stilt and White-rumped Sandpipers, Black-crowned Night Heron, Mottled and Shoveler Ducks, Black Tern and White Pelican. Most interesting were the Wilson's Phalaropes, which might well have been reincarnated whirling dervishes. Hundreds of Least Terns were seen nesting on a sandy flat.

Leaving Baytown, the caravan skirted Trinity Bay to Anahuac. Short stops on the way revealed several Roseate Spoonbills, White-faced Ibis and one Cattle Egret. The pine forests just north of Anahuac were alive with bird songs. Parula, Pine and Yellow-throated Warblers, Red-eyed and White-eyed Vireos, Summer Tanager, Pileated Woodpecker and Fish Crow were seen or heard. A ramble down a shady lane led to a real find--a female BLACK-THROATED BLUE WARBLER, first identified by Henry Hoffman.

The group ate lunch at Fort Anahuac Park. Here we were disappointed to find that "progress" had destroyed a dense growth, once an excellent bird habitat, on the bluff overlooking the bay. At least the marshes were still there, and Least Bittern and Green Heron were seen. The most unique find there, however, was the PURPLE-CROWNED COCKATOO (*Hoffmana lousei*), a rare bird indeed. Leaving Anahuac the group saw Dickcissels, late Savannah Sparrows and Hudsonian Godwits--at close range--in the prairies and rice fields on the way to High Island.

High Island lived up to its reputation as a warbler paradise; a large pecan tree was especially lively. Redstarts, Blackburnian, Black-and-white, Bay-breasted, Black-throated Green, Magnolia, Tennessee, Yellow and Worm-eating Warblers were seen, as well as





birds so far off course? 2) What caused them to precipitate in Galveston when apparently our common migrants passed overhead?

On April 20th the meteorological conditions involved an advancing moisture-laden cold front accompanied by a low pressure area over W. Texas and a high over the Gulf of Mexico, which should theoretically cause an abnormal westward influence on birds over Cuba and the Yucatan Peninsula. The eastern migrants, being off course, probably came down on the first land available, while normal migrants could push in farther. Perhaps the weather map for April 21st will help explain the problem of migration for off-course eastern migrants and the presence of a few western species.



On April 24th a large concentration of warblers, consisting mostly of Tennessee, Cerulean and Chestnut-sided Warblers, were observed near Seabrook. April 25 produced high counts of Chats at Cove, and Chats and thrushes at High Island. A rain-induced wave on the 27th of April was responsible for a fair concentration of warblers and several hundred Baltimore Orioles at Galveston.

In May the precipitation was much below normal. The temperature was below normal the first part of the month and above normal the second part. On May 1st a norther accompanied by the only rainfall for the whole month arrived. The migrants were good near Seabrook and at Galveston with Yellow, Black-throated Green, Tennessee

and Bay-breasted Warblers predominating. At Galveston 30 Indigo Buntings were accompanied by one female LAZULI BUNTING and a Blackpoll Warbler. On May 2nd migration was still very much in evidence, with good numbers of thrushes, Catbirds and Black-billed Cuckoos at High Island. After May 2nd few birds were observed except for a congregation of late warblers, including a BLK.-THR. BLUE WARBLER near Anahuac on May 12th. After that, migration for all practical purposes ceased, except for a very late Yel.-shafted Flicker at the University of Houston on May 22nd and the unusual appearance of Common Terns in large numbers on Galveston Bay during the last week of May and the first week of June.

Noticeably low in numbers this spring were most waterfowl, including Eared Grebe, Blue-winged Teal and Baldpate. The hawk migration was fairly poor: several hundred Broadwings, fair numbers of Swainson's and a few kites. Shorebirds were extremely poor. The Avocet was practically non-existent, where before it numbered in the hundreds in the spring. W. Phalaropes and Hudsonian Godwits were mainly to be found in the flooded rice fields. The thrush migration was very good with impressive totals of Wood, Gray-cheeked and Swainson's obtained at High Island. Warblers were in fair numbers and good variety as usual. The only noticeable absence was the Swainson's Warbler, which was so common comparatively last spring. Significant western migrants this spring, indicating a minor invasion, were Audubon's and BLACK-THROATED GRAY WARBLERS at LaPorte, Western Tanager at Cedar Bayou, Yellow-headed Blackbird at Galveston and 2 LAZULI BUNTING. The White-winged Doves and RED-EYED COWBIRD in Galveston represented a South Texas invasion.

SPRING COUNT

Sunday, April 29, 1962

Christmas Count Circle

Compiler -- Jerry Strickling

<u>Section</u>	<u>Leader</u>	<u>Observers</u>
1A	Trevor Feltner	Ann Feltner, Barbara Lund, Elric and Doris McHenry
1B	IAM Barnette	Johnny Faye Barnette, Edna Miner
2	Eva Gilman	Ella and Helen Wolfer, Carrie Wilcox
3A	Jim Ellis	Pat Ellis, Karen Morse, Bill and Jean Harwell
3B	Katrina Thompson	Jerry Baker, Pat Sullivan, Mary Sears, Thelma Smith
4	Dudley Deaver	Arlie MacKay
5	Steve Williams	Ralph Hunter, Irving Greebaum
6	Nancy Strickling	Jerry Strickling, Bob and Mable Deshayes
7	Linda Snyder	Clinton Snyder, Frank and Mary Belle Kokesh

Species	1A	1B	2	3A	3B	4	5	6	7	Total
Anhinga							1			1
Avocet									1	1
Blackbird, Brew.		20		31						51
R.-w.	300	160	30	170	500	364	162	2000	75	3761
Bittern, American								1		1
Least	1		1			2		6		10
Bluebird, Eastern		1		2	2		4			9
Bobolink								3		3
Bobwhite	10	18	2	12	1	1	2	9	4	59
Bunting, Indigo	150	11	4	17	6	5		15	32	240
LAZULI							1			1
Painted	70	10	5	3	7	3	1	8	6	113
Caracara								2		2
Cardinal	151	109	30	315	150	168	155	55	83	1216
Catbird	1	1	1		2	5	1		5	16
Chuck-wills-widow						1			1	2
Chickadee, Car.	75	30	30	82	11	51	35	7	56	377
Coot					3	11		1		15
Cormorant, Species	1				10					11
Cowbird	30	35	15	31	12	174	153	50	69	569
Crow, Common	13	10	6	47	3		12	9	6	106
Cuckoo, Yel.-billed	5	2	1	4	1			1	2	16
Dickcissel	300	97	35	132		48	3	170	40	825
Dove, Mourning	17	29	20	19	60	161	45	145	45	541
Inca								2		2
Dowitcher, Species	1	1						100		102
Duck, Canvasback		1								1
Baldpate						33		1		34
Gadwall						2		2		4
Mottled	4	1				16	3	7	1	32
Ruddy								2		2
Scaup, L.					10	37	1	79	12	139
Shoveler	1				2			55		58
Wood	8									8
Egret, Cattle		1	2				2		2	7
Common	6	6	9	6	75	33	31	110	92	368
Snowy	10	2	5	4	12	12	45	410	20	520
Flicker, Yel.-shaft										1
Flycatcher, Grt. Cr.	1	1		3	1				1	7
Empidonax					1					1
Ol.-sided				1						1
Sc.-tail.	17	28	20	62	12	8	10	10	12	179
Gallinule, Common	1							1	1	3
Purple								1		1
Gnatcatcher, Bl.-gr.	1						2	5	2	10
Godwit, Hudsonian						3				3
Goldfinch, Common							85	1		86
Goose, Blue						1				1
Grackle, Common		6	8		12			3	46	75
Boat-tailed	5	1	5	1	50	137	15	30	2	246
Grebe, Pied-billed						1				1
Eared					5					5
Grosbeak, Blue	3	5	2	3	1	11		4	12	41
Rose-br.									1	1
Gull, Bonaparte's						1				1
Herring	11		1		1		2	3		18
Laughing	5		30		30	5	135	95	500	800
Ring-billed	6		30		5		13	25	15	94
Hawk, Broad-winged								3	1	4
Cooper's			1		1					2
Red-shouldered	1					1		3	1	6
Red-tailed	1							1		2
Sharp-shinned									1	1
Swainson's			1					1	4	6
White-tailed								2		2
Heron, Great Blue	2	1	10	1	6	17	15	5	3	60
Green	2		5	2	7	1	5	16	6	44
Little Blue	5					1		9	8	23

Species	1A	1B	2	3A	3B	4	5	6	7	Total
Heron, Louisiana	2		2		11	49	35	28	30	157
Night, B.-cr.			3		3	7	12	3	20	48
Night, Y.-cr.	2		1					6	3	12
Hummingbird, Ruby-thr.	8		1	1			1		1	12
Species								1		1
Ibis, White				50						50
White-faced						16				16
Wood		30								30
Jay, Blue	5	29	20	13	9	12	40	45	57	230
Killdeer	7	9	3	75	35	56	27	40	21	273
Kingbird, Eastern	5	12	15	25		18	2	7	8	92
Western				3		1		1		5
Kingfisher, Belted				1	1					2
Lark, Horned							1			1
Martin, Purple	35	32	20	17	38	14	13	9	45	223
Meadowlark, Eastern	400	155	50	625	20	277	45	95	25	1692
Mockingbird	20	28	30	98	75	151	24	70	33	529
Nighthawk, Common	4	2	3	12	7	12	10	7	16	73
Nuthatch, Br.-headed	1									1
Oriole, Baltimore	2	2	6	1		3	2	1	8	25
Orchard	7	15	7	2	5	6	9	4	2	57
Owl, Barred	2						1	1		4
Barn								1		1
Great Horned								1	1	2
Screech									4	4
Pelican, White					10	18	25	22	103	178
Pewee, Eastern Wood				3	1	1		8	3	16
Phalarope, Wilson	2		3							5
Phoebe, Eastern			2			4		1		7
Pipit, Water			1		3		6		8	18
Plover, Black-bellied			4	1		2				7
Golden	6			7			7			20
Semi-pal.									1	1
Upland	2		2	2		2		2		10
Rail, Clapper	1	1			2	1	2	1		8
King							5	2		7
Sora					1		2	3		6
Virginia							1			1
Robin				?						10
Sanderling					5	2	2		6	15
Sandpiper, Baird's									1	1
Buff-br.	3					16				19
Dunlin	1		1						1	3
Least	1					2		30	3	36
Pectoral	5			3			35	2		45
Semipalm.					10		3	23	25	61
Solitary	4			1				1		6
Spotted	1			1	2	1	10	4	4	23
Stilt						1		1	13	15
Western							5		25	30
White-rump.								2	75	77
Sapsucker, Yel.-bel.	1				1	1	1			4
Shrike, Loggerhead	10	5	15	13	11	18	10	10	5	97
Skimmer, Black	3				150	5	46	30	12	246
Snipe, Common	1					2		1		4
Sparrow, House	1	37	50	356	40	52	60	30	86	712
Lark				3		1				4
Lincoln	10		1	2			1	20	5	39
Savannah	1	11	2	12		18	1	1	4	50
Seaside	1							1		2
Song							1			1
Swamp								3		3
Vesper					1					1
Wh.-cr.						3		2		5
Wh.-thr.	10						3		2	15
Starling							1			1
Spoonbill, Roseate	2				30	8	2	34	86	162
Stilt, Bl.-necked	1	4					6	35	11	57
Swallow, Bank	5	3				4	50	105	8	175

Species	1A	1B	2	3A	3B	4	5	6	7	Total
Swallow, Barn	60	25	20	136	17	76	50	70	251	705
Cliff	6	1				17			2	26
Rough-wing.	10	3		1	5	2	30	15	8	74
Tree	1		10	3		1	1	2	2	20
Swift, Chimney	16		15	5	3	1	22	80	63	205
Tanager, Scarlet									1	1
Summer	31	8	2	4	1		1		3	50
Western				1						1
Teal, Blue-winged	4		20	2	2	57	6	28	6	125
Green-winged								1		1
Tern, Black	3				2		40		645	690
Caspian	1				8	9	12	2	9	41
Common							5		15	20
Forster's	2		2		4	56	47	1	750	862
Gull-billed						2	2		4	8
Least	15		2		300	5	250	5	210	787
Royal					2	6		1	2	11
Thrasher, Brown		3	5	2	2	31	1	6	9	59
Thrush, Swainson's	1	1					1	1	3	7
Wood	2	6		1					1	10
Titmouse, Tufted	250	75	8	85	3	8	36	7	17	489
Veery		2				1			1	4
Vireo, Philadelphia	1									1
Red-eyed	10						2			12
Warbling									4	4
White-eyed	42	1	3	12	7	6	1		4	76
Yellow-throat		1								1
Vulture, Black	1	2		6	6	7				22
Turkey	2	17		7	4	17		5		52
Warbler, Bl.-and-wh.				1					1	4
Blackburnian							1			1
Bl.-thr. Green				3		5	1		2	11
Canada								1		1
Chat	1							1	5	7
Chestnut-sided		1				2				3
Hooded		1								1
Kentucky		1						1	1	3
Magnolia				1						1
Mourning		1								1
Myrtle						1				1
Parula	35	6					1			42
Pine	1	5		9	1		1			17
Redstart							1			1
Tennessee	16		5				3		9	33
Yellow			1			1				2
Sycamore		1	1				1			3
Yellowthroat	4	1					1	2	1	9
Waterthrush, La.						1		2		3
N.						1				1
Waxwing, Cedar	85			2			55		50	192
Willet						4	1	2	120	127
Woodpecker, Downy	7			5	1				2	15
Pileated	4	2		3						9
Red-bel.	5	4	2	13	3	2	2	9	12	52
Red-head.	6	2	3	38	8	1	4	6	1	69
Wren, Carolina	59	46	10	6	2	2	21	22	21	189
House	1									1
Marsh L.-bill.						2	1	8		11
Marsh S.-bill.	1				1		1	1		4
Yellowleg, Greater	300		6		2		2	2	2	314
Lesser	1000	5	25	30		7	47	28	32	1174
Total Individuals	3770	1183	691	2651	1854	2429	2097	4473	4198	23357
Total Species	104	68	68	71	77	94	99	116	109	197
Exclusives	3	4		3	2	5	8	5	6	

\*\*\*\*\*

NOTA BENE

PLEASE SEND ALL SPOONBILL MATERIAL TO THE SNYDER'S, P.O. BOX 204, LAPORTE.

NANCY STRICKLING REQUESTS THE RETURN OF ALL PERMISSION CARDS FOR THE OLD HOUSE AT GALVESTON.

\*\*\*\*\*

CLEARING HOUSE

May, 1962

Numbers in parentheses indicate the number of birds seen -- other numbers indicate the day of the month.

6 (rare) and 7 (accidental) birds are underlined>. Accidental birds are capitalized and underscored. Good dates and numbers are also underlined.

Pelican, White - (5-25) most days Bayshore IS; (5) 4 Cove AKM  
 Brown - (2) 1 Galv. IS, MBK; (7) 12 Bolivar "A"  
 Cormorant, Olivaceous - (1) 1 Galv. IS, MBK  
 Egret, Cattle - (1) 1 Galv. IS, MBK; (2) 4, 29 Cove AKM; (1) 12 Cove "A"  
 Reddish - (1) 1 Galv. IS, MBK  
 Bittern, Least - (1) 5 Cove AKM; (1) 12 Anahuac "A"  
 Ibis, White-faced - (12) 1 Galv. IS, MBK; (5) 12 Cedar Bayou "A"  
 White - (700) 20 Galv. MD, BD  
 Roseate Spoonbill - (3) 2 Bayshore IS, MBK; (8) 12 Cedar Bayou "A" (10) 20 Galv. MD, BD  
 Goose, Snow - (1) 29 in good flight Cove AKM  
 Duck, Mallard - (1) 3, 29 Cove AKM  
 Mottled - (4-19) many days, (40) 29 Cove AKM; (8) 12 "A"  
 Green-winged Teal - (1 crippled) 29 Cove AKM  
 Blue-winged Teal - (1-5) 1, 2, 5, 8, 29 (13) 3 Cove AKM; (1-2) 1, 2, Bayshore IS  
 Am. Widgeon - (6) 4 Cove AKM  
 Shoveler - (2) 12 Baytown Tunnel "A"; (2) 29 Cove AKM  
 Wood Duck - (1) 29 Cove AKM; (1) 30 Cypress Creek Lake BH  
 Lesser Scaup - (12-14) 1-5, (1) 16, 17, 29 Bayshore IS  
 Vulture, Black - (3) 12 Hwy 73 & 61 "A"  
 Hawk, Cooper's - (1) 2 Hwy 61 IS, MBK; (1) 12 Hwy 61 "A"  
 Red-shouldered - (3) 12 Hwy 73 & 61 "A"  
 Broad-winged - (2) 2 Bayshore IS  
 Swainson's - (1-2) 1, 2 Bayshore IS; (1) 18 Cove AKM  
 Marsh Hawk - (1) 1 Cove AKM  
 Peregrine Falcon - (1) 1 Galv. IS, MBK  
 King Rail - (1) 1, 7, 8, (2) 29 Cove AKM; (1) 12 Anahuac "A"  
 Virginia Rail - (1) 12 Cedar Bayou "A"  
 Sora - (1) 1 Galv. IS, MBK  
 Purple Gallinule - (10 or less) daily Cove AKM  
 Am. Coot - (7) 21, (8) 26 Cove AKM  
 Plovers, Semi-Pal. - (5) 1 Galv. IS, MBK  
 Wilson's - (2) 1 Galv. IS, MBK  
 Golden - (10) 1 Galv. IS, MBK  
 Black-bellied - (1-2) thru 17 Bayshore IS; (25) 1 Galv. IS, MBK; (50) 2 Hwy 1985 IS, MBK; (1) 4 Cove AKM  
 Ruddy Turnstone - (5) 12 Bolivar "A", (2000) 20 Galv. MD, BD  
 Long-billed Curlew - (1) 2 Hwy 1985 IS, MBK; (2) 4, (1) 29 Cove AKM  
 Whimbrel - (1) 1 Galv. IS, MBK  
 Upland Plover - (1) 2 Hwy 61, IS, MBK; (1) 12 Hwy 1985 "A"  
 Spotted Sandpiper - (1-2) thru 17 Bayshore IS; (1) 3, 4 Cove AKM  
 Solitary Sandpiper - (1) 1 Galv. IS, MBK  
 Greater Yellowlegs - (1-3) 1, 2 Bayshore & Galv. IS; (NC) 12 "A"  
 Lesser Yellowlegs - (50) 2 Hwy 1985 IS, MBK; (10) 1, (5) 3, (1) 5 Cove AKM (NC); 12 "A"  
 White-rumped Sandpiper - (5) 1, 2, 11, 14, (10) 12, (3) 17 Bayshore IS  
 Baird's Sandpiper - (1) 1, 2 Bayshore IS  
 Dunlin - (10) 1 Galv. IS, MBK; (100) 20 Galv. MD, BD  
 Dowitcher species - (50+) 1 Galv., 2 Hwy 1985 IS, MBK; (25) 12 "A"; (5) 22 Bayshore IS  
 Stilt Sandpiper - (5) 1, 2, 12, 14 (10) 22 Bayshore IS  
 Buff-breasted Sandpiper - (55) 4 Cove AKM  
 Hudsonian Godwit - (100) 2 Hwy 1985 IS, MBK; (10) 12 Hwy 1985 "A"  
 Sanderling - (5-25) thru 17, (35) 11 Bayshore IS  
 Wilson's Phalarope - (10) 1, 11, 12, (15) 2, (4) 14, (1) 17 Bayshore IS  
 Tern, Common - (25) 30 Morgan's Pt. IS, CS  
 Black - (10,000) 20 Galv. MD, BD  
 Inca Dove - (2) 1 Galv. IS, MBK; (1) 21 Spring Valley JH, BH

- White-winged Dove - (1) 1 Galv. IS, MBK  
 Black-billed Cuckoo - (7) 2 High Island IS, MBK  
 Screech Owl - (1-2) 16, 17, 18, 29, 30 Cove AKM; (3) 30 Bayshore IS, CS  
 Chuck-will's widow - (1) 2 Cove AKM  
 Hummingbird, Ruby-thr. - (1) 1, 2, 24 Bayshore IS; (1) 3, 4, 5, 6, 10 Cove AKM; (1) 12 Hwy 1985 "A"  
 Yellowshafted Flicker - (1) 12 Baytown "A", (1) 22 Univ. of Ho. Campus EM  
 Pileated Woodpecker - (1) 2 Bayshore IS; (1-2) 12 Hwy 61 "A"  
 Yellow-b. Sapsucker - (1) 2 High Island IS  
 Eastern Kingbird - (50) 1 Galv. TBF, IS, MBK; (25) 2 High Isl. IS, MBK;  
 Western Kingbird - (1) 1 Galv. TBF; (1) 12 Hwy 1985 IS  
 Flycatcher, Great Crested - (1) most days Bayshore IS; (1) 12 High Isl. "A"  
 Empidonax - (2) 5 Cove AKM  
 Traill's - (1) 2 High Isl. IS  
 Acadian - (2) 2 High Isl. IS  
 Wood Pewee - (1-3) 1, 2 Bayshore IS; (7) 1 Galv. IS, MBK; (6) 2 High Isl. IS, MBK; (1-2) 1, 2, 9, (5) 5 Cove AKM  
 Horned Lark - (1-2) 1 Galv., 2 Hwy 1985 IS, MBK  
 Swallow, Tree - (NC) 1, 2 Bayshore IS  
 Barn - (25) 13, (7) 17 Bayshore IS  
 Fish Crow - (3) 2 Hwy 61 IS, MBK; (3) 12 Hwy 61 "A"  
 Short-billed Marsh Wren - (1) 2 Bayshore IS, MBK  
 Catbird - (1-5) 1, 2, 3, 4, 5 Bayshore IS; (50+) 2 High Isl. IS, MBK; (3) 2 Compton's Woods EM, DM; (3) 2, 5 Cove AKM; (5) 12 High Isl. "A"  
 Wood Thrush - (1-2) most days Bayshore IS; (8) 2 High Isl. IS, MBK; (6) 1 Cove AKM  
 Swainson's Thrush - (1-3) thru 11 Bayshore IS; (25) 2 High Isl. IS, MBK, (5) 2, (3) 5 Cove AKM; (1) 2 DM, EM; (5) 12 High Isl. "A"  
 Gray-cheeked Thrush - (25) 2 High Isl. IS, MBK; (1) 2, (10) 5 Cove AKM; (1) 2 Compton's Woods EM, DM; (5) 12 High Isl. "A"  
 Veery - (3) 2 High Isl. IS, MBK; (2) 10 Galv. BH, JH; (1) 12 High Isl. "A"  
 Eastern Bluebird - (3) 2 Hwy 61 IS, MBK  
 Blue-gray Gnatcatcher - (2) 5 Cove AKM  
 Water Pipit - (NC) 1, 2 Bayshore IS  
 Cedar Waxwing - (10-25) most days, (100) 23 Bayshore IS; (200) 12 High Isl. "A"  
 Starling - (4) 1 Galv. IS, MBK  
 White-eyed Vireo - (1) 2 Compton's Woods EM, DM; (3) 3, (1) 10 Bayshore IS; (1) 12 Hwy 61 "A"  
 Yellow-throated Vireo (1) 2 High Isl. IS, MBK; (1) 2 Compton's Woods EM, DM  
 Red-eyed Vireo - (2) 1 Galv. IS, MBK; (25) 2 High Isl. IS, MBK; (4) 2, (1) 5 Cove AKM (5) 2 Compton's Woods, EM, DM; (15) 12 High Isl. "A"  
 Philadelphia Vireo - (3) 2 High Isl. IS, MBK; (2) 2 Compton's Woods EM, DM  
 Warbling Vireo - (2) 2 High Isl. IS, MBK  
 Warbler, Black-and-w. - (2) 1 Galv. IS, MBK; (1) 2 High Isl. IS, MBK; (1) 2 Compton's Woods EM, DM; (1) 3 Bayshore IS; (1) 5 Cove AKM; (1) 12 High Isl. "A"  
 Swainson's - (1) 1 Compton's Woods TBF  
 Worm-eating - (1) 12 High Isl. "A"  
 Golden-w. - (1) 1 Bayshore IS; (1) 1 Compton's Woods TBF  
 Blue-winged - (1) 1 Bayshore IS  
 Tennessee - (50) 1 Compton's Woods TBF; (20) 1 Galv. IS, MBK; (25) 2 High Isl. IS, MBK; (2) 2 Compton's Woods EM, DM; (6) 12 High Isl. "A"  
 Parula - (1) 2 Hwy 61 IS, MBK; (2) 12 Hwy 61 "A"  
 Yellow - (44) 1 Galv. IS, MBK; (5) 2 High Isl. IS, MBK; (2) 12 High Isl. "A"  
 Magnolia - (4) 2 High Isl. IS, MBK; (1) 2, 20 Compton's Woods EM, DM; (2) 12 High Isl. "A"  
 BLACK-THR. BLUE - (1) 12 Hwy 61 "A"  
 B.-thr. Green - (50) 1 Compton's Woods TBF; (4) 2 High Isl. IS, MBK; (1) 2 Compton's Woods EM, DM; (6) 12 High Isl. "A"  
 Cerulean - (2) 2 Cove AKM; (1) 2 Compton's Woods EM, DM  
 Blackburnian - (1) 2 High Isl. IS, MBK; (2) 12 High Isl. "A"  
 Yellow-throated - (1) 1 Bayshore IS; (1) 2 Hwy 61 IS, MBK; (3) 12 Hwy 61 "A"  
 Chestnut-sided - (3) 2 Compton's Woods EM  
 Bay-breasted - (13) 1 Galv. IS, MBK; (9) 2 Compton's Woods EM, DM; (1) 3 Bayshore IS  
 Blackpoll - (3) 1 Galv. IS, MBK  
 Pine - (2) 2 Hwy 61 IS, MBK; (2) 12 Hwy 61 "A"  
 Ovenbird - (2) 1 Galv. IS, MBK; (1) 5 Cove AKM; (1) 12 High Isl. "A"  
 Northern Waterthrush - (1) 1 Galv. IS, MBK; (1) 2 High Isl. IS, MBK  
 Louisiana Waterthrush - (1) 12 High Isl. "A"  
 Mourning - (1) 1 Compton's Woods TBF

Warblers, Yellowthroat - (1) 3 Bayshore LS  
 Yellow-br. Chat - (2) 1 Bayshore LS; (1) 3, 5 Cove AKM  
 Hooded Warbler - (1) 2 High Isl. LS, MBK  
 Canada - (1) 1 Compton's Woods TBF; (1) 2 Compton's Woods EM, DM  
 American Redstart - (1) 1 Galv. TBF; (1) 2 High Isl. LS, MBK; (4) 2 (2) 20 Compton's Woods EM, DM; (25) 5 Cove AKM; (6) 12 High Isl. "A"  
 Orchard Oriole - (4) 1 Bayshore LS; (4) 2 High Isl. LS, MBK; (2) 12 High Isl. "A"  
 Baltimore Oriole - (8) 1, (1) 6 Bayshore LS; (6) 2 High Isl. LS, MBK; (2) 1, (1) 2, 5 Cove AKM; (1) 12 High Isl. "A"  
 Scarlet Tanager - (6) 2 High Isl. LS, MBK; (1) 3 Bayshore LS; (1) 5 Cove AKM; (1) 10 Galv. BH, JH; (4) 12 High Isl. "A"  
 Summer Tanager - (1) 1, 3, 4, 19 Bayshore LS; (6) 2 High Isl. LS, MBK; (2) 12 High Isl. "A"  
 Rose-breasted Grosbeak - (1) 1, (4) 2 Cove AKM; (2) 1, 2, 3 Bayshore LS; (25) 2 High Isl. LS, MBK; (1) 2 Compton's Woods EM, DM; (2) 12 High Isl. "A"  
 Blue Grosbeak - (1) 1, 4 Cove AKM; (4) 1 Galv. LS, MBK; (12) 2 High Isl.  
 Indigo Bunting - (30) 1 Galv., 2 High Isl. LS, MBK; (6) 2 Compton's Woods EM, DM; (2) 5 Cove, AKM; (NC) 12 "A"  
 Lazuli Bunting - (1) 1 female pink-buff with white wing bars and pink-buff band on breast Galv. LS, MBK  
 Dickcissel - (25) 2 Hwy 1985 LS, MBK; (30) 12 Hwy 1985 "A"  
 Sparrow, Savannah - (1-3) 1, 2 Hwy 1985 LS, MBK; (10) 12 Hwy 1985 "A"

Credits

Party "A" - O. G. Field Trip  
 MD - Mabel Deshayes  
 BD - Bob Deshayes  
 MBK - Mary Belle Kokesh  
 AKM - Arlie K. MacKay  
 DM - Doris McHenry  
 EM - Elric McHenry  
 CS - Clint Snyder  
 LS - Linda Snyder



OFFICERS

Chairman	Mr. Henry Hoffman
Secretary	Miss Katrina Thompson
Treasurer	Miss Ella Wolfer - 3707 Reveille - \$ Dues \$
Field Trip Chairman	Miss Thelma Smith
Program Chairman	Mr. Charles McIntire
Co-Editors of the SPOONBILL	Mrs. J. A. (Linda) Snyder, Box 204, La Porte
	Mr. Clinton Snyder



Outdoor Nature Club  
 (Ornithology Group)  
 3707 Reveille Rd.  
 Houston 17, Texas  
 Return Postage Guaranteed

